

*“We Make Your Safe **PERFECT**”*



SINCE 1938



The Story of PERFECT


PERFECT born out of a gradual metamorphosis from M/s. Luhar Jadyji Raghavji established by shri Bhimjibhai Jadvjibhai Luhar in 1938. this long journey of excellence has made PERFECT synonymous with quality and trust PERFECT is an entity that stands for durability, Reliability and Affordability. It offers a complete product range of security Equipments. Fire and burglar Resisting safe, Strong Room doors, safe Deposit locker, Cabinets, Safe cum safe Deposits lockers, Cash box, Coffers and special quality heavy steel cupboards.

Ever since its inception PERFECT has chosen to walk the path of precision and innovation. The company is constantly alive to the technological evolutions of the industry and thus it has always been a forerunner in adopting the latest and innovative technologies. Each unit at PERFECT is designed to offer your value for money by its team to technical experts having experience of more than three decades in the field.

Over the years the company has developed its own simple but efficacious methodologies of customer services. It understands the specific needs and requirements of the customers and offers complete support at all times.

Why to Choose Perfect Safe ISI Class C?

- ✓ Indigenous Product with Latest Technology.
- ✓ Quality Safe Manufacturer Since 1938.
- ✓ Minimum Time Delivery.
- ✓ PAN India Presence.
- ✓ LifeTime Warranty.



ISI Certified Class 'C'Safe

If it's a safe, it has to be PERFECT...



26"H x 22"W x 23"D
450KG



31"H x 25"W x 25"D
660KG



36"H x 27"W x 25"D
740KG



42"H x 27"W x 25"D
870KG

★ Wide Range :

Perfect offers safes size 26" to 73" to cater to the requirement of Jewellers to bank and ensure safety and security of your valuables.

★ Technical Details :

Perfect safe's body is specially manufactured from 4 mm thick tough steel plate of multibends with round corners without any rivets with suitable reinforced and anchored to the body. The body thickness on all five sides is 100 mm including double duty barrier materials which offers fire as well as burglar resistance.

★ Door :

The most frequently attacked portion of safe, the door is given superior protection with a series of barriers. The door is made by heavy thick and tough steel plates reinforced with drill, Hammer and Oxyacetylene resistant special alloy plates covered with thick M.S. plates. The total thickness of the door is 108 mm and overall thickness of the door is 160 mm.

★ Unpickable Locks :

The Perfect's safe are with superior quality dual control high precision 10 level lockers. These locks are unpickable and only the original keys will open them. Stainless steel keys are supplied in duplicate. The locks are ISI certified A8 grade locks with 10,00,000 combinations possible by varying sequence of levers, within which any one key will be able to open not more than one lock.

WIDE RANGE WITH EXTRA SAFETY



49"H x 31"W x 28"D
 1150KG



61"H x 33"W x 30"D
 1550KG



72"H x 36"W x 30"D
 1950KG

★ **Bolt work Mechanism :**

Depending on the size, models of Perfect safes have a varying number of retract-able shooting bolts as indicated in the table of specifications. Strong movable shooting bolts on either side are evenly spaced to secure the door behind the solid jamb box. Two step lock case construction offers better resistance against fire and burglar attacks.

★ **Balanced pressure Bolt-work :**

A special feature of the **balanced pressure bolt work** ensures safety from attacks by dislodging. Any pressure exerted on the lock bolt on one side automatically brings into play equal balancing pressure on the opposite side to neutralize and defeat the attempts to dislodge the lock.

★ **Perfect's Auto Re-locking System:**

Adopting the latest technological advancement Perfect's safes are fitted with **dead lock device** which is activated by a minor attack of any part of the door and lock will get deadlocked instantly. In case of other makes, in spite of top claims, the safes are not fitted with such unique lock facility.

★ **Choice of Locking Arrangements :**

The following locking arrangements can be provided in lieu of or in addition to existing locks at an extra cost. **Dual Control Locks:** Additional dual-control locks can be fitted in large models.

 **Unbeatable Numerical Combination Lock :**

Keyless numerical 3 wheel combination lock offers a choice of nearly a million combinations for setting and resetting. The dial of the lock can be made inoperative by locking it for additional security. The combination locks can be fitted even after the installation of the safe at the user's premises.

 **Time Lock :**


This lock is for additional security of various models of safe from 42 to 81. It can be retro-fitted with imported superior quality electronic/mechanical time lock with multiple clock movements.

 **Fire safety :**

Protected with fire resisting barriers which can resist fires of more than 800°C. Accurately made door plate and slabs seals the body perfectly which refrains the flames to pass through them.

**Perfect Safes are useful for :
Jewellery Showrooms, Petrol Pumps, Homes, Offices, etc.**

Sectional Views



Technical Info

MODELS		26	31	36	42	49	60	72
Height	H	660	787	915	1065	1244	1549	1829
Width	W	559	635	686	686	787	838	914
Depth	D	584	635	635	635	711	762	762
Height	h	460	587	715	865	1044	1349	1629
Width	w	359	435	486	486	587	638	714
Depth	d	324	375	375	375	451	502	502
Door Swing	s	424	500	551	551	652	703	779
Overall Depth with Door 90	O.D.	1021	1148	1199	1199	1376	1478	1554
Overall Depth with Door 180	O.W.	905	1057	1159	1159	1361	1463	1615
Overall Thickness	O.T.	160	160	160	160	160	160	160
Weight (without packing)	K.G.	450	660	740	870	1150	1550	1950
FITTINGS								
Shelves Adjustable/Removeable Only		one	one	two	two	two	three	four
Drawers/Lockers		one	one	one	one	two	two	two
Dual Locks/Shooting Bolt		1/6	1/6	1/8	2/8	2/8	2/10	2/12


Types of Extra Lock



Combination Lock



Digital Combination Lock



Time Lock



Anti-theft
lock mechanism




Fire resistant



Tool resistant




Drill resistant with
thick M.S. plates



Gas-cutting resistant



Super protection with
a series of barriers



Our Achievement



Customized Strong Room Door

 Weight : 8 tonne

Petfect[®]

perfectsafe.in

THE TRUST OF MODERN INDIA

Any size of the Safe & Strong Room Door
can be supplied as per customer's requirement.



Satisfied Customers : 6000+

Monthly Productivity : 200+ Products



SINCE 1938

PERFECT STEEL WORKS

Shed No. C1 / 278, R-Road,
G.I.D.C. AJI 2, RAJKOT - 360 002.

PH. : (O) 0281-2387937

MO. : 94272 39267 | 9426784902

 www.perfectsafe.in

 info@perfectsafe.in



IS : 550 (PART-1)



CM/L:7600194016

